




On the
Water
Designs

Floating Docks

Titan Series

*Thinking in generations
means pairing rugged flotation
with a low maintenance frame*



Floating Docks

Titan Series



The Titan Series Floating Dock combines the best features of all our docking systems into a single, long lasting, high performance dock. Our rugged reinforced pontoon flotation system ensures the dock stays safely above the water and waves. Like all On the Water Designs docks, our Titan Series Pontoon Floating Dock is fabricated by skilled welders and carpenters to ensure your dock lasts a lifetime.. or longer! Our aluminum frames come complete with a 10 year warranty and our reinforced pontoons come complete with a 25 year warranty!

Titan Series Floating Docks Include:

- ✓ Frame, Pontoons & Decking (If Purchased)
- ✓ Chain Retainers at Corners
- ✓ 15' & 20' Ramps Include Stiffener & Float
- ✓ 10 Year Welded Frame Warranty
- ✓ 25 Year Pontoon Warranty

| Size | | Dock | | | |
|------|-----|-----------------------|-----------------------|-----------------------|-----------------------|
| | | No Decking | Micro Pro PT | Western Red Cedar | PVC Endeck / Thruflow |
| W | L | | | | |
| 6' | 15' | \$ 5,000 FT0615-NO | \$ 6,150 FT0615-PT | \$ 6,900 FT0615-WR | \$ 7,400 FT0615-PV |
| | 20' | 6,100 FT0620-NO | 7,400 FT0620-PT | 8,250 FT0620-WR | 9,250 FT0620-PV |
| | 25' | 7,200 FT0625-NO | 8,600 FT0625-PT | 9,500 FT0625-WR | 11,100 FT0625-PV |
| | 30' | 7,700 FT0630-NO | 9,000 FT0630-PT | 10,100 FT0630-WR | 12,900 FT0630-PV |
| 8' | 15' | 5,500 FT0815-NO | 6,750 FT0815-PT | 7,500 FT0815-WR | 8,550 FT0815-PV |
| | 20' | 6,550 FT0820-NO | 8,050 FT0820-PT | 8,850 FT0820-WR | 10,600 FT0820-PV |
| | 25' | 8,100 FT0825-NO | 9,700 FT0825-PT | 10,700 FT0825-WR | 13,700 FT0825-PV |
| | 30' | 9,800 FT0830-NO | 11,300 FT0830-PT | 12,600 FT0830-WR | 15,800 FT0830-PV |
| 10' | 15' | 6,550 FT1015-NO | 7,800 FT1015-PT | 8,850 FT1015-WR | 10,700 FT1015-PV |
| | 20' | 8,100 FT1020-NO | 9,500 FT1020-PT | 10,500 FT1020-WR | 13,900 FT1020-PV |
| | 25' | 10,100 FT1025-NO | 11,600 FT1025-PT | 13,200 FT1025-WR | 17,500 FT1025-PV |
| | 30' | 12,200 FT1030-NO | 14,500 FT1030-PT | 16,400 FT1030-WR | 20,300 FT1030-PV |

| Size | | Ramp | | | |
|------|-----|-----------------------|-----------------------|-----------------------|-----------------------|
| | | No Decking | Micro Pro PT | Western Red Cedar | PVC Endeck / Thruflow |
| W | L | | | | |
| 4' | 10' | \$ 1,500 FR0410-NO | \$ 2,000 FR0410-PT | \$ 2,275 FR0410-WR | \$ 3,225 FR0410-PV |
| | 15' | 2,875 FR0415-NO | 3,725 FR0415-PT | 4,150 FR0415-WR | 4,850 FR0415-PV |
| | 20' | 3,375 FR0420-NO | 4,750 FR0420-PT | 5,250 FR0420-WR | 6,650 FR0420-PV |
| 6' | 10' | 1,850 FR0610-NO | 2,575 FR0610-PT | 2,850 FR0610-WR | 4,075 FR0610-PV |
| | 15' | 3,250 FR0615-NO | 4,625 FR0615-PT | 5,150 FR0615-WR | 6,450 FR0615-PV |
| | 20' | 3,625 FR0620-NO | 5,300 FR0620-PT | 5,850 FR0620-WR | 7,700 FR0620-PV |
| 8' | 10' | 3,500 FR0810-NO | 4,625 FR0810-PT | 5,000 FR0810-WR | 6,100 FR0810-PV |
| | 15' | 4,350 FR0815-NO | 6,100 FR0815-PT | 6,700 FR0815-WR | 8,600 FR0815-PV |
| | 20' | 4,875 FR0820-NO | 6,950 FR0820-PT | 7,750 FR0820-WR | 10,300 FR0820-PV |
| 10' | 10' | 4,025 FR1010-NO | 5,600 FR1010-PT | 6,200 FR1010-WR | 7,550 FR1010-PV |
| | 15' | 4,825 FR1015-NO | 7,250 FR1015-PT | 8,050 FR1015-WR | 9,450 FR1015-PV |
| | 20' | 5,250 FR1020-NO | 8,600 FR1020-PT | 9,600 FR1020-WR | 11,600 FR1020-PV |


| Corner Walkway | 3' | \$ 610 DS0003-NO | \$ 680 DS0003-PT | \$ 680 DS0003-WR | \$ 890 DS0003-PV |
|----------------|------------------|---------------------|---------------------|---------------------|---------------------|
| | 4' | 660 DS0004-NO | 780 DS0004-PT | 780 DS0004-WR | 1,025 DS0004-PV |
| 5' | 730 DS0005-NO | 870 DS0005-PT | 870 DS0005-WR | 1,150 DS0005-PV | |

DID YOU KNOW?

Pontoon floats are the best choice for flotation when big waves are frequent

Pontoon floats respond more slowly than box floats to waves due to the rounded shape of the bottom. This gives a greater feeling of stability in rough conditions when big waves occur.

Are calm conditions your normal? Check out our more economical Designer Series Floating Dock with box floats



**15" Freeboard
Fusion Welded Crossers
Safely Leave In Ice**

Delivery & Installation is available through a professional 3rd party installation crew.
 Delivery is \$200/HR one way. Installation is generally 10% - 13% and may change based on specific requirements.
 All prices subject to change without notice. All measurements are approximate

Floating Docks

Titan Series



Floating Dock Options

| | | | | | | |
|-----------------------------|--|----------------------------|---------------------------|------------------------|--------------------|------------------|
| Add Ramp Float | Adds a 2'x3'x16" Float to water side of ramp. This Upgrade is included on 15' & 20' Ramps & 10' Ramps with PVC Decking. | \$ 320.00 | | | | |
| | | DS9010 | | | | |
| Dock to Dock Stiffener | Turns two dock sections into one large dock section by reinforcing the joint. Docks must join side by side | \$ 540.00 | | | | |
| | | DS9040 | | | | |
| Accessory Reinforcement | HD aluminum bracket welded below decking to reinforce cleats & mooring whips | \$ 70.00 | \$ 70.00 | | | |
| | | Cleat AH0040 | Whip AH0041 | | | |
| HitchHinge Upgrade (/Hinge) | Upgrade from HD hinge to HitchHinge. Hitch Side is always welded to ramp. Pin Side may be welded or bolted to wood docks with either 1" or 1.5" decking | \$ 80.00 | \$ 120.00 | \$ 120.00 | | |
| | | Weld AH0300-UW | 1" Deck AH0300-U1 | 1.5" Deck AH0300-U2 | | |
| | | | | | | |
| Concrete Anchor | Concrete anchor for holding floating docks. Chain weights are suspended off the bottom add stability on docks with large water fluctuations | \$ 100.00 | \$ 175.00 | \$ 65.00 | | |
| | | Dock (165lb) OH0165 | HD (350lb) OH0350 | Chain (50lb) OH0010 | | |
| Chain (/ft) | Gr. 30 Hot Dipped Galv. Chain is the best choice for most residential applications. Choose Gr. 70 Yellow Zinc for Longest Life & to Combat Zebra Mussels | \$ 5.85 | \$ 8.55 | \$ 9.75 | | |
| | | 5/16" | 3/8" | 3/8" Gr 70 | | |
| | | GV5602-CH | GV3802-CH | OF3802-CH | | |
| Anti-Sway Cable Kit | Makes your dock feel more stable by reinforcing ramp against twisting motion. Sold by ramp Length. | \$ 280.00 | \$ 290.00 | \$ 290.00 | | |
| | | 10' | 15' | 20' | | |
| | | DS9015-10 | DS9015-15 | DS9015-20 | | |
| Skirting (/ft) | Deck board running below dock frame adds an attractive natural finish and hides the gap between the dock and water | \$ 5.85 | \$ 11.75 | \$ 8.30 | \$ 9.80 | \$ 17.00 |
| | | Brackets Only DS9025-NO | PVC Brackets DS9025-NR | PT DS9025-PT | Cedar DS9025-WR | PVC DS9025-PV |
| | | | | | | |



Shore Beam & Angle



Concrete Angle

Shore Attachments

| | | 4' | 6' | 8' | 10' |
|----------------|--|-----------|-----------|-----------|-----------|
| Shore Beam | 6"x6" PT Beam. Used as an adaptor for the shore angle on uneven bedrock. | \$ 340 | \$ 400 | \$ 450 | \$ 450 |
| | | DS2000-04 | DS2000-06 | DS2000-08 | DS2000-10 |
| Shore Angle | 4" x 4" Aluminum Angle. Mount to shore beam or wood deck | 480 | 530 | 600 | 670 |
| | | DS4400-04 | DS4400-06 | DS4400-08 | DS4400-10 |
| Shore Plate | 4" x 1/4" Aluminum Plate. Mount to the face of a flat surface | 340 | 370 | 430 | 440 |
| | | DS5000-04 | DS5000-06 | DS5000-08 | DS5000-10 |
| Shore Channel | 4" x 2-1/2" Aluminum Channel. Mount to the face of an uneven surface | 450 | 530 | 710 | 790 |
| | | DS3000-04 | DS3000-06 | DS3000-08 | DS3000-10 |
| Shore Posts | 2 Individual hinges mounted to leg holders. Secured with 6' galv. post | 480 | | | |
| | | DS9085 | | | |
| Concrete Angle | 4' x 6" Aluminum Angle. Mount to new or existing concrete | 590 | 750 | 880 | 1,050 |
| | | DS4600-04 | DS4600-06 | DS4600-08 | DS4600-10 |

* Note: Concrete Pour Available Separately

Shore Platforms

| | | No Decking | Micro Pro PT | Western Red Cedar | PVC Endeck / Thruflow | |
|-------------|--|------------|--------------|-------------------|-----------------------|----------|
| Bedrock | Reinforced Dock frame mounted to bedrock with 1" threaded rod (included) | 4' x 4' | \$ 910 | \$ 1,125 | \$ 1,225 | \$ 1,525 |
| | | 6' x 4' | 1,025 | 1,350 | 1,500 | 2,025 |
| | | 8' x 4' | 1,175 | 1,500 | 1,775 | 2,325 |
| Sand & Clay | Reinforced dock frame with 6' steel legs (included) driven into soil. | 4' x 4' | 1,200 | 1,425 | 1,575 | 1,825 |
| | | 6' x 4' | 1,325 | 1,650 | 1,950 | 2,325 |
| | | 8' x 4' | 1,475 | 1,800 | 2,050 | 2,625 |



Shore Platform

Floating Docks

Titan Series

Contact Us
 On the Water Designs
 Kilworthy (Muskoka) ON
 (866) 477-0177
 info@onthewaterdesigns.com

Heavy Slant P Bumper


 \$ 65.00
 10'4" Length
 BU5124-##
 WH BL

Large Corner Bumper

 \$47.50
 BU0065-##
 BE WH BL GY

6" Flip Up Cleat

 \$ 25.00
 CL0601-##
 WH BL GY
 Install 6" Cleat LB2006 \$ 15.00
 Hardware Only SS9006-CB 10.00


Single P Bumper

 \$ 100.00
 8' Length
 BU0090-##
 WH BL

Heavy Outside Corner

 \$45.00
 BU0060-##
 WH BL GY

10" Open Base Cleat

 \$ 24.00
 CL1005-GY
 Install Cleat LB2006 \$ 15.00
 Hardware Only SS9006-CB 10.00


Bumper Installation
 Factory Install Bumper LB2010 \$ 25.00
 Factory Install Corner LB2015 10.00
 Bumper Screws (100pk) SS0822-SC 30.00



Hand Rail - Aluminum

| | | |
|-----|-----------|-----------|
| 10' | DS9055-10 | \$ 570.00 |
| 15' | DS9055-15 | 860.00 |
| 20' | DS9055-20 | 1,150.00 |

Premium Solar Light

 \$55.00
 SL0000-WH



Premium Mooring Whips

| | Capacity | Size |
|---------------|------------|-----------|
| 8' | 2,500 lbs | \$ 400.00 |
| | | WH0250 |
| 12' | 5,000 lbs | 600.00 |
| | | WH0500 |
| 14' | 10,000 lbs | 700.00 |
| | | WH1000 |
| Wake Watcher | 3,500 lbs | 650.00 |
| | | WH0350 |
| Install Whips | | 40.00 |
| | | LB2025 |



Wake Watcher™

Solar Dock Lite (2pk)

 \$55.00
 SL0010-WH

Straight Ladder

| | Grey | Measurements |
|----------------|-----------|----------------------|
| 3 Step | \$ 530.00 | ID 18" |
| | LA0203-GY | OD 20.5" |
| 4 Step | 570.00 | Depth 5.5" |
| | LA0204-GY | Step Height 11" |
| 5 Step | 630.00 | 3 Step Clearance 33" |
| | LA0205-GY | 4 Step Clearance 44" |
| Install Ladder | 30.00 | 5 Step Clearance 55" |
| | LB2020 | |

Angled Ladder

| | Black | White | Grey | Measurements |
|----------------|-----------|-----------|-----------|-----------------|
| 3 Step | \$ 550.00 | \$ 550.00 | \$ 510.00 | ID 18" |
| | LA0103-BL | LA0103-WH | LA0103-GY | OD 20.5" |
| 4 Step | 620.00 | 620.00 | 560.00 | Step Height 11" |
| | LA0104-BL | LA0104-WH | LA0104-GY | Lower 33" |
| 5 Step | 690.00 | 690.00 | 600.00 | Lower 44" |
| | LA0105-BL | LA0105-WH | LA0105-GY | Lower 55" |
| Install Ladder | LB2020 | | | Angle 15° |
| | | | | 30.00 |